


CLAIMS

What is claimed is:

1. A compound of formula I

5



I

or a pharmaceutically acceptable salt, hydrate, or prodrug thereof,

wherein each R¹ is independently

- 10 a) H,
 b) C₁₋₄ alkyl,
 c) C₁₋₄alkyl substituted by a phenyl where the phenyl is optionally substituted with one or two R², or
 d) phenyl, optionally substituted with one or two R²;

15 R² is

- a) halo,
 b) OR³,
 c) CF₃
 d) C(=O)-NR⁴R⁵,
 20 e) NH-SO₂-R⁶,
 f) NR⁴R⁵,
 g) NR⁴-C(=O)-R⁴,
 h) SO₂-NR⁴R⁵,
 i) CN, or
 25 j) NO₂;

R³ is H, C₁₋₄ alkyl, or phenyl;

R⁴ and R⁵ are independently H, C₁₋₄ alkyl, or R⁴ and R⁵ taken together with the attached nitrogen atom to form a ring selected from the group consisting of 1-pyrrolidinyl, 1-piperazinyl and 1-morpholinyl;

30 R⁶ is H or C₁₋₄ alkyl;

R⁷ is

- a) H, or
- b) halo,
- c) OR³,
- 5 d) CF₃
- e) C(=O)-NR⁴R⁵,
- f) NH-SO₂-R⁶,
- g) NR⁴R⁵,
- h) NR⁴-C(=O)-R⁴,
- 10 i) SO₂-NR⁴R⁵,
- j) CN, or
- k) NO₂;

R⁸ is

- a) H,
- 15 b) F,
- c) Cl,
- d) C₁₋₄alkyl,
- e) C₁₋₃alkoxy,
- f) CF₃,
- 20 g) C₁₋₄alkyl substituted by a phenyl wherein the phenyl is optionally substituted with one or two R²,
- h) phenyl, optionally substituted with one or two R²,
- i) OR³,
- j) CO-NR⁴R⁵,
- 25 k) NR⁴R⁵,
- l) NH-SO₂-R⁶, or
- m) NH-CO-R⁴;

at each occurrence, alkyl and alkoxy is optionally substituted with OH, halo, or NH₂.
 m is 1 to 2; and n is 1-3, or pharmaceutically acceptable salts, prodrugs, and
 30 isotopically labeled derivatives thereof.

2. A compound of claim 1 wherein each R¹ is independently H, methyl, or ethyl.

3. A compound of claim 1 wherein R⁷ is hydrogen.
4. A compound of claim 1 wherein R⁸ is hydrogen.
5. A compound of claim 1 wherein R⁸ is F, OCH₃, or CF₃.
6. A compound of claim 1 which is
 - (a) (R, R,) 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone hydrochloride,
 - 10 (b) (S, S,) 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone hydrochloride,
 - (c) (R, S,) 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone hydrochloride, or
 - (d) (S, R,) 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone hydrochloride.
7. A compound selected from:
 - (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
 - 20 octahydroazepino[4,5-b]indole
 - (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
 - octahydroazepino[4,5-b]indole
 - (5aS, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
 - octahydroazepino[4,5-b]indole
 - 25 (5aS, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
 - octahydroazepino[4,5-b]indole
 - (5aS, 10bS)-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-
 - octahydroazepino[4,5-b]indole
 - (5aS, 10bS)-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-
 - 30 octahydroazepino[4,5-b]indole
 - (5aS, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
 - octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-6-methyl-9-[(4-trifluoromethyl)phenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5

(5aS, 10bS)-3,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

15

(5aS, 10bS)-3,6-dimethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-3,6-dimethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20

(5aS, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-3,6-dimethyl-9-[(4-trifluoromethyl)phenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

25

(5aS, 10bS)-3-ethyl-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

30

(5aS, 10bS)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bS)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bS)-3-ethyl-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bS)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-6-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bS)-1,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-2,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aS, 10bS)-4,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-5,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-1,5,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bS)-2,4,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aS, 10bS)-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bS)-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bS)-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bS)-3-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aS, 10bS)-3-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bS)-3-ethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bS)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bS)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bS)-3-ethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bS)-3-ethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-1-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-2-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-4-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bS)-5-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-
10 octahydroazepino[4,5-b]indole

(5aS, 10bS)-1,5-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-2,4-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-
15 octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20 (5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

25 (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-
30 octahydroazepino[4,5-b]indole

(5aR, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bS)-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-6-methyl-9-[(4-trifluoromethyl)phenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-3,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3,6-dimethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3,6-dimethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bS)-3,6-dimethyl-9-[(4-trifluoromethyl)phenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bS)-3-ethyl-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bS)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-3-ethyl-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-6-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-1,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-2,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-4,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-5,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-1,5,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-2,4,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bS)-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-3-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3,4-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3,5-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-3-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bS)-9-[(4-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bS)-3-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- 5 (5aR, 10bS)-3-ethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-3-ethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-3-ethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-1-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-2-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-4-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bS)-5-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bS)-1,5-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-2,4-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(4-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bS)-9-[(3-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5 (5aS, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 (5aS, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

15 (5aS, 10bR)-6-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20 (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

25 (5aS, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3,6-dimethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

30 (5aS, 10bR)-3,6-dimethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3,6-dimethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5

(5aS, 10bR)-3-ethyl-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 (5aS, 10bR)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

15

(5aS, 10bR)-3-ethyl-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20

(5aS, 10bR)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-3-ethyl-6-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-

25 1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-1,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-2,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

30

(5aS, 10bR)-4,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bR)-5,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-1,5,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-2,4,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bR)-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bR)-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aS, 10bR)-3-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bR)-3-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aS, 10bR)-3-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aS, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aS, 10bR)-3-ethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aS, 10bR)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aS, 10bR)-3-ethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aS, 10bR)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aS, 10bR)-3-ethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aS, 10bR)-1-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-2-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-4-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5 (5aS, 10bR)-5-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

15 (5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

25 (5aS, 10bR)-1,5-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-2,4-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

30 (5aS, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aS, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bR)-6-methyl-9-[(4-trifluoromethyl)phenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bR)-3,6-dimethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3,6-dimethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-3,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3,6-dimethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bR)-3-ethyl-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bR)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bR)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-6-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-6-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bR)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bR)-3-ethyl-6-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-1,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-2,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5 (5aR, 10bR)-4,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-5,6-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 (5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

15 (5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20 (5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-4,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-5,6-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

25 (5aR, 10bR)-1,5,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-2,4,6-trimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

30 (5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,5,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,4,6-trimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-6-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 (5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-
b]indole

(5aR, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[4-methylphenylsulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

20 (5aR, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-3-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

- (5aR, 10bR)-9-[(3,4-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(3,5-difluorophenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 5 (5aR, 10bR)-3-methyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-methyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-9-[(4-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 10 (5aR, 10bR)-9-[(3-methoxyphenyl)sulfonyl]-3-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-methyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 15 (5aR, 10bR)-3-ethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(4-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 20 (5aR, 10bR)-3-ethyl-9-[(3-fluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3,4-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3,5-difluorophenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 25 (5aR, 10bR)-3-ethyl-9-[(4-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3-methylphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- 30 (5aR, 10bR)-3-ethyl-9-[(4-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole
- (5aR, 10bR)-3-ethyl-9-[(3-methoxyphenyl)sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-3-ethyl-9-[[4-(trifluoromethyl)phenyl]sulfonyl]-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-1-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-2-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-4-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-5-methyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-4-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-5-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-1,5-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-2,4-dimethyl-9-(phenylsulfonyl)-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(4-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

5 (5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-1,5-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

(5aR, 10bR)-9-[(3-fluorophenyl)sulfonyl]-2,4-dimethyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indole

10 8. A compound selected from the group consisting of 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone; 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl-4-fluorophenyl sulfone; and pharmaceutically acceptable salts thereof, wherein the compound includes an isotopic label.

15 9. A compound according to Claim 1 containing an isotope selected from ^3H , ^{11}C , ^{14}C , ^{13}N , ^{15}O , ^{18}F , $^{99\text{m}}\text{Tc}$, ^{123}I , and ^{125}I .

10. The compound of claim 9, wherein the compound includes at least one atom selected from ^{11}C , ^{13}N , ^{15}O , and ^{18}F .

20 11. A method of performing positron emission tomography comprising:
incorporating an isotopically labeled compound into tissue of a mammal, wherein the isotopically labeled compound is selected from 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl phenyl sulfone and 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl-4-fluorophenyl sulfone; and pharmaceutically
25 acceptable salts thereof, and each compound includes at least one atom selected from ^{11}C , ^{13}N , ^{15}O , and ^{18}F .

12. A method of performing nuclear magnetic resonance imaging comprising:
30 incorporating a compound into tissue of a mammal, wherein the compound is 6-methyl-1,2,3,4,5,5a,6,10b-octahydroazepino[4,5-b]indol-9-yl-4-fluorophenyl sulfone or a pharmaceutically acceptable salt thereof provided that the fluorine atom is ^{19}F .

13. A method for treating a disease or disorder of the central nervous system in a mammal comprising administering a therapeutically effective amount of a compound of formula I as shown in claim 1, or a pharmaceutically acceptable salt thereof, to said mammal.

5

14. A method for treating a disease or disorder in a mammal wherein the 5-HT receptor is implicated and modulation of 5-HT function is desired comprising administering a therapeutically effective amount of a compound of formula I as shown in claim 1, or a pharmaceutically acceptable salt thereof.

10

15. The method of claim 14 wherein the receptor is a 5-HT₆ receptor.

16. The method of claim 13 or 15 wherein the mammal is a human.

15

17. The method of claim 13 or 15 wherein said disease or disorder is anxiety, depression, schizophrenia, a stress related disease, panic disorder, a phobia, obsessive compulsive disorder, post-traumatic-stress syndrome, immune system depression, psychosis, paraphrenia, mania, convulsive disorders, personality disorders, migraine headache, drug addiction, alcoholism, obesity, eating disorders, or sleep disorders.

20

18. The method of claim 13 or 15 wherein the disease or disorder is psychotic, affective, vegetative, and psychomotor symptoms of schizophrenia and the extrapyramidal motor side effects of other antipsychotic drugs.

25

19. The method of claim 13 or 15 wherein the disease is anxiety, obesity, depression, or a stress related disease.

30

20. The method of claim 13 or 15 wherein said disease or disorder is obesity, depression, schizophrenia, schizophreniform disorder, schizoaffective disorder, delusional disorder, a stress related disease (e.g. general anxiety disorder), panic disorder, a phobia, obsessive compulsive disorder, post-traumatic-stress syndrome, immune system depression, a stress induced problem with the urinary, gastrointestinal or cardiovascular system (e.g., stress incontinence), neurodegenerative disorders,

autism, chemotherapy-induced vomiting, hypertension, migraine headaches, cluster headaches, sexual dysfunction in a mammal (e.g. a human), addictive disorder and withdrawal syndrome, an adjustment disorder, an age-associated learning and mental disorder, anorexia nervosa, apathy, an attention-deficit disorder due to general medical conditions, attention-deficit hyperactivity disorder, behavioral disturbance (including agitation in conditions associated with diminished cognition (e.g., dementia, mental retardation or delirium)), bipolar disorder, bulimia nervosa, chronic fatigue syndrome, conduct disorder, cyclothymic disorder, dysthymic disorder, fibromyalgia and other somatoform disorders, generalized anxiety disorder, an inhalation disorder, an intoxication disorder, movement disorder (e.g., Huntington's disease or Tardive Dyskinesia), oppositional defiant disorder, peripheral neuropathy, post-traumatic stress disorder, premenstrual dysphoric disorder, a psychotic disorder (brief and long duration disorders, psychotic disorder due to medical condition, psychotic disorder NOS), mood disorder (major depressive or bipolar disorder with psychotic features) seasonal affective disorder, a sleep disorder, a specific developmental disorder, agitation disorder, stress incontinence such as urge or mixed incontinence, selective serotonin reuptake inhibition (SSRI) "poop out" syndrome or Tourette's syndrome.

21. A method for modulating 5-HT receptor function, comprising contacting the receptor with an effective inhibitory amount of a compound of formula I as shown in claim 1.

22. The method of claim 21 wherein the receptor is a 5-HT₆ receptor.

23. The method of claim 13 or 15 wherein said compound is administered rectally, topically, nasally, orally, sublingually, transdermally or parenterally.

24. The method of claim 13 or 15 wherein said compound is administered in an amount from about 0.01 to about 150 mg/kg of body weight of said mammal per day.

25. The method of claim 13 or 15 wherein said compound is administered in an amount from about 0.1 to about 50 mg/kg of body weight of said mammal per day.



5

Year	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100																																																																																																																																																																																													
Population (millions)	5.0	5.1	5.2	5.3	5.4	5.5	5.6	5.7	5.8	5.9	6.0	6.1	6.2	6.3	6.4	6.5	6.6	6.7	6.8	6.9	7.0	7.1	7.2	7.3	7.4	7.5	7.6	7.7	7.8	7.9	8.0	8.1	8.2	8.3	8.4	8.5	8.6	8.7	8.8	8.9	9.0	9.1	9.2	9.3	9.4	9.5	9.6	9.7	9.8	9.9	10.0	10.1	10.2	10.3	10.4	10.5	10.6	10.7	10.8	10.9	11.0	11.1	11.2	11.3	11.4	11.5	11.6	11.7	11.8	11.9	12.0	12.1	12.2	12.3	12.4	12.5	12.6	12.7	12.8	12.9	13.0	13.1	13.2	13.3	13.4	13.5	13.6	13.7	13.8	13.9	14.0	14.1	14.2	14.3	14.4	14.5	14.6	14.7	14.8	14.9	15.0	15.1	15.2	15.3	15.4	15.5	15.6	15.7	15.8	15.9	16.0	16.1	16.2	16.3	16.4	16.5	16.6	16.7	16.8	16.9	17.0	17.1	17.2	17.3	17.4	17.5	17.6	17.7	17.8	17.9	18.0	18.1	18.2	18.3	18.4	18.5	18.6	18.7	18.8	18.9	19.0	19.1	19.2	19.3	19.4	19.5	19.6	19.7	19.8	19.9	20.0	20.1	20.2	20.3	20.4	20.5	20.6	20.7	20.8	20.9	21.0	21.1	21.2	21.3	21.4	21.5	21.6	21.7	21.8	21.9	22.0	22.1	22.2	22.3	22.4	22.5	22.6	22.7	22.8	22.9	23.0	23.1	23.2	23.3	23.4	23.5	23.6	23.7	23.8	23.9	24.0	24.1	24.2	24.3	24.4	24.5	24.6	24.7	24.8	24.9	25.0	25.1	25.2	25.3	25.4	25.5	25.6	25.7	25.8	25.9	26.0	26.1	26.2	26.3	26.4	26.5	26.6	26.7	26.8	26.9	27.0	27.1	27.2	27.3	27.4	27.5	27.6	27.7	27.8	27.9	28.0	28.1	28.2	28.3	28.4	28.5	28.6	28.7	28.8	28.9	29.0	29.1	29.2	29.3	29.4	29.5	29.6	29.7	29.8	29.9	30.0	30.1	30.2	30.3	30.4	30.5	30.6	30.7	30.8	30.9	31.0	31.1	31.2	31.3	31.4	31.5	31.6	31.7	31.8	31.9	32.0	32.1	32.2	32.3	32.4	32.5	32.6	32.7	32.8	32.9	33.0	33.1	33.2	33.3	33.4	33.5	33.6	33.7	33.8	33.9	34.0	34.1	34.2	34.3	34.4	34.5	34.6	34.7	34.8	3